



## Technical description

---

Base	Tube legs (external diameter: Ø18mm), powder-coated; metal bar skid (external diameter: Ø12mm); tube skid (external diameter: Ø25mm), powder-coated; swivelling fixed-height aluminium base — powder-coated or polished; swivelling fixed-height aluminium base — powder-coated or polished; black caster wheels; swivelling adjustable-height aluminium base — powder-coated or polished; swivelling adjustable-height aluminium base — powder-coated or polished, black caster wheels; oak wood legs, 33 mm thick
Seat	Steel structure coated with polyurethane foam
Added back support (available optionally)	Steel structure coated with polyurethane foam, permanently mounted to the seat
Construction	Steel, polyurethane foam
Finishing	Fabric or leather
Additional information	The soft version (with extra foam on the seat and visible distinct creasing) is optionally available for an extra charge

**Noti.**



Width × Depth × Height × Seat Height (cm)



PX/K/NR  
60 x 59 x 75 x 47



PX/K/4SS  
60 x 59 x 75 x 47



PX/K/PP  
60 x 59 x 75 x 47



PX/K/PR  
60 x 59 x 75 x 47



PX/K/ND  
60 x 59 x 75 x 47



PX/K/4SK  
60 x 59 x 75 x 47



PX/K/5RK  
60 x 59 x 73-86 x 45-58



PX/K/4RS  
60 x 59 x 70-86 x 42-57



PX/KZ/NR  
60 x 63 x 93 x 47



PX/KZ/4SS  
60 x 63 x 93 x 47



PX/KZ/PP  
60 x 63 x 93 x 47



PX/KZ/PR  
60 x 63 x 93 x 47



PX/KZ/ND  
60 x 63 x 93 x 47



PX/KZ/4SK  
60 x 63 x 93 x 47



PX/KZ/5RK  
60 x 63 x 91-104 x 45-58



PX/KZ/4RS  
60 x 63 x 87-103 x 42-57



PXS/K/NR  
60 x 59 x 75 x 49



PXS/K/4SS  
60 x 59 x 75 x 49



PXS/K/PP  
60 x 59 x 75 x 49



PXS/K/PR  
60 x 59 x 75 x 49



PXS/K/ND  
60 x 59 x 75 x 49



PXS/K/4SK  
60 x 59 x 75 x 49



PXS/K/5RK  
60 x 59 x 73-86 x 45-58



PXS/K/4RS  
60 x 59 x 70-86 x 44-60

**Noti.**



PXS/KZ/NR  
60 x 63 x 93 x 49



PXS/KZ/4SS  
60 x 63 x 93 x 49



PXS/KZ/PP  
60 x 63 x 93 x 49



PXS/KZ/PR  
60 x 63 x 93 x 49



PXS/KZ/ND  
60 x 63 x 93 x 49



PXS/KZ/4SK  
60 x 63 x 93 x 49



PXS/KZ/5RK  
60 x 63 x 91-104 x 45-58



PXS/KZ/4RS  
60 x 63 x 87-103 x 44-60